

<b>Entering and citing references</b> .....	2
References in Cochrane reviews .....	2
Entering references .....	2
Citing studies and references .....	2
Entering and citing references in focused-format reviews .....	2
Entering and citing references in long-format reviews .....	6

## Entering and citing references

In this section:

### References in Cochrane reviews

See the [RevMan Knowledge Base](#) for more information about references in the focused review format.

References are divided into two groups: 1) references to studies; and 2) additional references.

**References to studies** comprise included, excluded, and ongoing studies as well as studies awaiting classification. Each study:

- has a Study ID (usually made up of the last name of the first author plus the year) and a numerical reference;
- has one primary reference and may have one or more secondary references.

In the focused review format, it is possible to cite the primary study reference and secondary references individually (e.g. in the Background or Discussion sections). For information about how these citations will appear in the editable and read-only versions of the review see [RevMan Knowledge Base](#).

**Additional references** are those used in the Background, Methods or Discussion sections and include references to other published versions of the review, including the protocol. When cited, all additional references appear as numbers in the text.

## Entering references

### Reference fields

When references are entered manually in RevMan, different reference fields need to be completed (e.g. author(s), title, journal, page numbers etc.). Fields with bold headings are required, fields with greyed-out headings are optional. For guidance on content and presentation of the different reference fields, see the [Reference fields](#) section. Note that text formatting is applied to references entered in RevMan during the publishing process; for example, journal titles and book titles are converted to italic text on publication.

### Reference types

References can be typed in manually or [imported from files](#) generated by standard bibliographic software or from the Cochrane Register of Studies. It is preferable to use the importing method. Different types of references can be entered into RevMan. See [Overview of reference types](#).

For detailed examples of reference types and how to populate reference fields, see the [Reference types](#) section. If a reference does not fit into one of the available categories, select 'Other' and use the available fields in a way that gives an appropriately formatted reference. You can also refer to [Citing Medicine](#), the National Library of Medicine's guide for citing references, for other reference types, such as a patents, legal material, or journal articles with a retraction, comment, or erratum. See also [Differences between Cochrane and NLM style](#).

## Citing studies and references

All references must be linked to the text or tables at least once, or there will be a validation error.

[Entering and citing references in focused-format reviews](#)

[Entering and citing references in long-format reviews](#)

## Entering and citing references in focused-format reviews

In this section: [Citing studies](#) | [Citing study references](#) | [Citing additional references](#)

In the focused review format, citations in the editable views in RevMan (Default, Full text) are presented differently from the citations in the published review and read-only views (accessible via the Preview option in RevMan). **The information below explains how to enter references in the editable views so that they appear correctly in the finished review.**

- All references must be linked to the text or tables at least once, or there will be a validation error.
- References cited in the main article should be included in the reference list for the main article.
- Avoid citing references in supplementary materials only. If references are cited in a supplementary material only, the reference should be contained in that supplementary material.

See RevMan Knowledge Base: [References and citations](#) for more information.

Information about [citing references in long-format reviews](#) is available on a separate page.

**To cite studies in focused-format reviews**

Select reference type 'Studies' to insert a primary study reference as a study ID (for included, excluded, and ongoing studies, and studies awaiting classification).

Use this option when you want to show the name of the study (i.e. study ID), in, for example, the Results section.

- **In the editable Default or Full-text view**, the study ID will appear in the text, hyperlinked to the study. You will need to add round brackets manually, where appropriate. Examples are shown in the table below.
- **In the published review and read-only views**, the first time a study is cited it appears in plain text (no hyperlink), followed by its numerical reference and all its secondary references (numerical references), which are hyperlinked to the reference list. The study ID is not linked from the text at any point. Subsequent citations of primary studies appear in plain text, with no numerical references, and are not linked.

You may wish to rewrite sentences in which studies are cited for the first time, bearing in mind that the insertion of the numerical secondary references on publication could interrupt the flow of the text for the reader.

Subsequent citations of primary references to studies **will not** be followed by numerical references linked to the reference list, so you may wish to cite a study's numerical reference instead, which will be linked to the reference list (See [Study references](#) below). For included studies, you may wish to use only numerical (linked) references in the main text of the review and cite the study IDs for the first time in the [Overview of included studies and synthesis table](#). This means that the study IDs will appear alongside numerical, linked references to their primary and secondary references in the table only.

Citation examples shown are in the default (editable) view in RevMan	Studies	Correct	
	Study citations for primary study references sit inside round brackets, which need to be added manually by the authors.  Separate multiple citations with a semicolon. RevMan automatically adds semicolons if you add multiple citations at the same time.	(Gardner 2024; Robb 2021)	
	List multiple citations in alphabetical order.  RevMan automatically arranges citations in alphabetical order if you add multiple citations at the same time.  You can use RevMan to reorder manually inserted citations.	<b>Alphabetical:</b> (Bakri 2020a; 2020b; Davis 2023; Slinn 20	
	No 'and' before the final citation	(Davis 2021; Omari 2018; P Ze 2019)	

	Citations for primary studies can be used as part of a sentence or placed in round brackets <b>within the closest punctuation</b> .  Note: see below for single sentences containing multiple pieces of information	The study was successful (F 2003).	
		The study was successful (C it confirmed previous finding 2005).	
		Williams 2021 reports the fu	
	Sentences that include multiple pieces of information supported by a number of citations should be structured so that it is clear to which piece of information each citation refers.	Smith 2018 included adults o Jones 2019 included childre  or:  One trial included adults only (2018), while another include only (Jones 2019).	
	Rephrase to avoid using 'et al.' in the text.	Royle and colleagues report  The Royle study mentions...	

## To cite study references in focused-format reviews

Select reference type 'Study references' to insert a primary study numerical reference or secondary study references (all numerical) for included, excluded, and ongoing studies, or studies awaiting classification.

Use this option to cite a study, or one or more of its secondary references, as standalone, numerical references, for example:

- in the Background or Discussion sections;
- when you want to write – not link – the study name in a sentence and ensure it links to the reference list in the published review (via the numerical reference).

**In the editable Default or Full-text view**, citations for primary studies and secondary study references appear as numbers within square brackets, hyperlinked to the study.

RevMan automatically:

- adds square brackets;
- separates multiple citations with a comma if they are added at the same time;
- numbers the references in the order in which they are added to the review (**this order adjusts in the published and read-only versions**, see below).

Examples are shown in the table below.

**In the published review and read-only version** the numerical references appear in the text, within square brackets, hyperlinked to the reference list.

**Note:** the numbers for references differ between the editable view and the published and read-only view because RevMan reorders the references into the order in which they are cited in the review.

See RevMan Knowledge Base: [References and citations](#) for examples of differences between editable and read-only versions.

Citation examples shown are in the default (editable) view in RevMan	Study references	Correct	
	Place the citation at the end of a sentence or clause, <b>immediately before punctuation</b> .	Evidence indicates that arou people experience postopera [105].	
	Study references shouldn't be cited as part of a sentence - the citation must be	We were able to extract add from two secondary referenc	

	placed appropriately in the text.		
	Don't use round brackets. RevMan automatically adds square brackets.	We extracted data from two records [104, 105].	
	Separate multiple citations with a comma. RevMan automatically adds commas for multiple citations added at the same time.	Acute asthma exacerbations dependent on seasonal varia	
	Don't use a hyphen to indicate non-cited references in a sequence. Cite each one individually.	Smith 2020 had four second references [13, 14, 15, 16].	
	No need to put citations in numerical order. RevMan reorders them automatically in read-only views.	We included four new studie update [45, 99, 58, 43].	

## To cite additional references in focused-format reviews

Use this option to cite journal articles, handbooks, guidelines, websites, software and other versions of the review.

**In the editable Default or Full-text view**, citations for additional references appear as numbers, within square brackets, hyperlinked to the references.

RevMan automatically:

- adds square brackets;
- separates multiple citations with a comma if they are added at the same time;
- numbers the references in the order in which they are added to the review.

Examples are shown in the table below.

**In the published review and read-only version** additional references appear in the text within square brackets and are hyperlinked to the reference list. **The numbers for references differ between the editable view and the published and read-only view because RevMan reorders the references into the order in which they are cited in the review.**

See RevMan Knowledge Base: [References and citations](#) for examples of differences between editable and read-only versions.

Citation examples shown are in the default (editable) view in RevMan	Additional references	Correct	
	Place the citation at the end of a sentence or clause, <b>immediately before punctuation</b>	Since publication of the original in 2009 [36], some methods updated.	
	Additional references shouldn't be cited as part of a sentence - the citation must be placed appropriately in the text.	We created summary of findings with GRADEpro GDT software followed the guidelines provided in the <i>Cochrane Handbook for Systematic Reviews of Interventions</i> [3].	
	Separate multiple citations with a comma. RevMan automatically adds commas for multiple citations added at the same time.  Don't use round brackets.  No need to put citations in numerical order.	Acute pain after a surgical procedure may influence recovery and outcomes [25, 93, 91, 92].	

	Don't use a hyphen to indicate non-cited references in a sequence. Cite each one individually.	However, one downside to the intravitreal anti-VEGF agents for neovascular AMD is the suboptimal response to medication for patients and systems worldwide [26, 27, 28, 31].
--	--	--

## Entering and citing references in long-format reviews

### To cite references in long-format reviews

This table provides guidance on inserting references in the text in long-format Cochrane reviews. The study and reference IDs must be linked to the reference list.

Guidance	Correct	
Separate multiple citations with a semicolon.	(Caster 2023; Robb 2024)	(Caster 2023; Robb 2024)
List multiple citations in alphabetical order.  RevMan can reorder citations alphabetically via the Link function.	<b>Alphabetical:</b> (Bakri 2005a; Bakri 2005b; Davis 2003; Slinn 2011)	<b>Chronological:</b> (Bakri 2005a; Bakri 2005b; Slinn 2011; Davis 2003)
No 'and' before the final citation	(Brown 2021; Omari 2015; Preston 2018; Wu 2011)	(Brown 2021; Omari 2015; Preston 2018 and Wu 2011)
Citations can be used as part of a sentence or placed in round brackets within the closest punctuation.  Note: see below for single	The study was successful (Robeson 1990).	The study was successful [Robeson 1990].

sentences containing multiple pieces of information	The study was successful (Griffin 1990); it confirmed previous findings (Howes 1995).	The stu succes confirm (Howes
	Williams 1991 reports the full details.	(Willian details.
Sentences that include multiple pieces of information supported by a number of citations should be structured so that it is clear to which piece of information each citation refers.	Smith 1990 included children only, while Jones 1999 included adults only.  or:  One trial included children only (Smith 1990), while another included adults only (Jones 1999).	One tri children 1999) i
Rephrase to avoid using 'et al.' in the text.	Wade and colleagues wrote that...  The Wade study mentions...	Wade e